


The form $r(\cos \theta + j \sin \theta)$

Introduction.

Any complex number can be written in the form $z = r(\cos \theta + j \sin \theta)$ where r is its modulus and θ is its argument. This leaflet explains this form.

1. The form $r(\cos \theta + j \sin \theta)$

Consider the figure below which shows the complex number $z = a + bj = r\angle\theta$.



Using trigonometry we can write

$$\cos \theta = \frac{a}{r} \quad \text{and} \quad \sin \theta = \frac{b}{r}$$

so that, by rearranging,

$$a = r \cos \theta \quad \text{and} \quad b = r \sin \theta$$

We can use these results to find the real and imaginary parts of a complex number given in polar form:

if $z = r\angle\theta$, the real and imaginary parts of z are:

$$a = r \cos \theta \quad \text{and} \quad b = r \sin \theta, \quad \text{respectively}$$

Using these results we can then write $z = a + bj$ as

$$\begin{aligned} z = a + bj &= r \cos \theta + jr \sin \theta \\ &= r(\cos \theta + j \sin \theta) \end{aligned}$$

This is an alternative way of expressing the complex number with modulus r and argument θ .

$$z = a + bj = r\angle\theta = r(\cos\theta + j\sin\theta)$$

Example

State the modulus and argument of a) $z = 9(\cos 40^\circ + j\sin 40^\circ)$, b) $z = 17(\cos 3.2 + j\sin 3.2)$.

Solution

a) Comparing the given complex number with the standard form $r(\cos\theta + j\sin\theta)$ we see that $r = 9$ and $\theta = 40^\circ$. The modulus is 9 and the argument is 40° .

b) Comparing the given complex number with the standard form $r(\cos\theta + j\sin\theta)$ we see that $r = 17$ and $\theta = 3.2$ radians. The modulus is 17 and the argument is 3.2 radians.

Example

a) Find the modulus and argument of the complex number $z = 5j$.

b) Express $5j$ in the form $r(\cos\theta + j\sin\theta)$.

Solution

a) On an Argand diagram the complex number $5j$ lies on the positive vertical axis a distance 5 from the origin. Thus $5j$ is a complex number with modulus 5 and argument $\frac{\pi}{2}$.

b)

$$z = 5j = 5\left(\cos\frac{\pi}{2} + j\sin\frac{\pi}{2}\right)$$

Using degrees we would write

$$z = 5j = 5(\cos 90^\circ + j\sin 90^\circ)$$

Example

a) State the modulus and argument of the complex number $z = 4\angle(\pi/3)$.

b) Express $z = 4\angle(\pi/3)$ in the form $r(\cos\theta + j\sin\theta)$.

Solution

a) Its modulus is 4 and its argument is $\frac{\pi}{3}$.

b) $z = 4(\cos\frac{\pi}{3} + j\sin\frac{\pi}{3})$.

Noting $\cos\frac{\pi}{3} = \frac{1}{2}$ and $\sin\frac{\pi}{3} = \frac{\sqrt{3}}{2}$ the complex number can be written $2 + 2\sqrt{3}j$.

Exercises

- By first finding the modulus and argument express $z = 3j$ in the form $r(\cos\theta + j\sin\theta)$.
- By first finding the modulus and argument express $z = -3$ in the form $r(\cos\theta + j\sin\theta)$.
- By first finding the modulus and argument express $z = -1 - j$ in the form $r(\cos\theta + j\sin\theta)$.

Answers

- $3(\cos\frac{\pi}{2} + j\sin\frac{\pi}{2})$, 2. $3(\cos\pi + j\sin\pi)$,
- $\sqrt{2}(\cos(-135^\circ) + j\sin(-135^\circ)) = \sqrt{2}(\cos 135^\circ - j\sin 135^\circ)$.